



Cancer in Montana Preliminaryⁱ Report for 2008-2012



Released December 2013

This is a preliminary report for the 2008-2012 reporting interval. Data for the diagnosis year 2012 are considered 95% complete at this time. A comprehensive final annual report will be released in December 2014.

All Sites and Top Four Sites Age-Adjusted Incidence Ratesⁱⁱ With 95% Confidence Intervals Number of Cases

Cancer Site	All Races			White	Am. Indian
	Total	Male	Female	Total	Total
All Sites	457.1 (451.5 – 462.6) 27,334 cases	502.9 [‡] (494.5 – 511.3) 14,489 cases	420.0 (412.4 – 427.5) 12,845 cases	449.6 (443.9 – 455.3) 25,666 cases	578.8 [†] (543.2 – 614.4) 1,272 cases
Breast (female)	---	---	123.2 (119.1 – 127.3) 3,763 cases	123.4 (119.1 – 127.6) 3,563 cases	138.4 (116.1 – 160.8) 175 cases
Colorectal	41.0 (39.4 – 42.7) 2,464 cases	46.3 [‡] (43.7 – 48.9) 1,321 cases	36.1 (33.9 – 38.2) 1,143 cases	39.9 (38.2 – 41.6) 2,294 cases	71.9 [†] (59.9 – 83.8) 163 cases
Lung	58.2 (56.3 – 60.2) 3,499 cases	65.5 [‡] (62.4 – 68.6) 1,833 cases	52.4 (49.9 – 55.0) 1,666 cases	57.1 (55.1 – 59.1) 3,297 cases	108.8 [†] (92.4 – 125.2) 207 cases
Prostate	---	132.5 (128.4 – 136.7) 4,117 cases	---	126.7 (122.6 – 130.9) 3,793 cases	143.8 (116.3 – 171.4) 137 cases

ⁱ Preliminary data are subject to change slightly when final report is published.

ⁱⁱ Rates are age-adjusted to the 2000 standard million population.

[‡] Male incidence rate was statistically significantly higher than Female incidence rate

[†] American Indian incidence rate was statistically significantly higher than the White or All Races incidence rates.